U.S. DEPARTMENT OF COMMERCE - Patent and Trademark Office Application No. 48430

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Black ink. Color Color drawings are not acceptable until petition is granted. Figts) Pencil and not black ink not permitted. Fig(s) Pencil and not black ink not permitted. Fig(s) For quality (half-one). Fig(s) For quality (half-one). Fig(s) TYPE OF PAPER. 37 CPR 1.84(c) Mylan, velum paper is not acceptable size. Fig(s) Mylan, velum paper is not acceptable size. Fig(s) MARGINS. 37 CPR 1.84(g). Acceptable sizes. Shect(s) Drawings sheets not he same size. Shect(s) Drawings sheets not he same size. Shect(s) Drawings sheets not not be same size. Shect(s) Drawings sheets not not be same size. Shect(s) Drawings sheets not not seeptable size. Shect(s) Drawings a heets not not same size. Shect(s) Drawings not seeptable size. Shect(s) Numbers and reference characters not oriented in the size of sheck she size of she she she she size. Fig(s) Numbers and reference characters not oriented in the size of she	subwassion of new, corrected drawings when necessary. Corrected draw	r the reasons indicated below. The Examiner will require ving must be sumitted according to the instructions on the back of this t
Black int. Color Color drawings are not acceptable until petition is granted. Fig(s) PHOTOCRAPIC. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) PHOTOCRAPIC. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographic double-weight paper.) Fig(s) Scale not large enough to show mechanism without crowding when for a figer in the reproduction of photographic double-weight paper.) Fig(s) Paper not flexible, strong, white, and durable. Fig(s) SIZE OF PAPER. 37 CFR 1.84(c) Acceptable sizes: 21.0 cm by 27.9 cm (off 1.24 11 inches) All drawing sheets not has acceptable sizes: 31.0 cm by 27.9 cm (off 1.24 11 inches) All drawing sheets not has ame size. Sheet(s) Drawings sheets not has ame size. Sheet(s) Drawings sheets not have sheet as the same size. Sheet(s) Drawings sheets not have sheet as the same size. Sheet(s) Paper not flexible, strong sheet sheet has a size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet sheet has sme size. Sheet(s) Paper not flexible, strong sheet she		
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs not properly mounted (must use brystol board or photographs properly page of properly p		
becomes the right side except for graphs. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) I full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Frasures, alterations, over-ritings, intertineations, folds, copy machine marks not acceptable (noo thin). Fig(s) Fig(s) SiZE OF PAPER. 37 CFR 1.84(p): Acceptable sizes: 21.0 cm by 27.9 cm (01/3 x 11 inches) All drawing sheets not be same size. Shect(s) Drawings sheets not an acceptable fine size. Shect(s) Drawings sheets not as an exceptable size. Shect(s) Drawings sheets not as acceptable fine size. Shect(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SiZE: Ad Size Top 2.7 cm Left 2.5 cm Right 1.5 cm Bottom 1.0		
Pencil and non black ink not permitted. Fig(s) HOTOGRAPHS, 37 CFR 1.84(s) Photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable (too thin). Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable from thin, fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable fig(s) Drawings sheets not acceptable fig(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sig(s) Erasures, alterations, and adurable. Solid black shading not brawing characters not uniformly thick and well defined, clean, durage and black (poor line quality). Fig(s) Erasures, alterations, and acceptable size. Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Erasures, alterations, and acceptable size. Fig(s) Erasures, alteration		
PHOTOGRAPHS. 37 CFR L84 (b) I full-note set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Proof papin (half-tone). Fig(s) TYPE OF PAPER. 37 CFR L84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable (too thin). Fig(s) Size OF PAPER. 37 CFR L84(c) Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (DIN size A4) 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not has anceptable sizes: Shect(s) Drawings sheets not as acceptable size. Shect(s) Drawings sheets not as acceptable size. Shect(s) Drawings sheets not as acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm SIZE: A4 Size Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom I.0 cm, Left 1.5 cm, Right 1.5 cm Bottom I.0 cm, Left 1.5 cm, Right 1.5 cm Bottom I.0 cm, Left 1.5 cm, Right 1.5 cm, Right 1.5 cm Bottom I.0 cm, Left 1.5 cm, Right 1.5		
Toll-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Fig(s) Foot quality (half-tone). Fig(s) Fig(s) Foot quality (half-tone). Fig(s) Fig(9. SCALE. 37 CFR 1.84(K)
Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) TYPE OF PAPER. 37 CFR 1.84(c) Paper not lexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) S1ZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (Din Size A4) 21.0 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Will Size A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 1.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 1.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 1.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 1.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm Left 1.5 cm Right 1.5 cm Bottom 1.0 cm Size: A Size Top 2.5 cm		Scale not large enough to snow mechanism without
photographic double-weight paper). Fig(s) Foo quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable (not thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.5 cm by 29.7 cm (DIN size A4) 22.5 cm by 29.7 cm (DIN size A4) 23.5 cm by 29.7 cm (DIN size A4) 24.5 cm by 29.7 cm (DIN size A4) 25.5 cm by 29.7 cm (DIN size A4) 25.5 cm by 29.7 cm (DIN size A4) 2		
Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, intertineations, folds, copy machine marks not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not less are size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not flex size size. Sheet(s) Drawings sheets not flex size size. Sheet(s) Drawings sheets not flex size. Sheet(s) Drawings sheets not size. Sheet(s) Size. 8.4 Size Drawings sheets not size. Sheet(s) Drawings sheets not size. Size. 8.1/2 x 11.7 size. Size. 8.		
TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) S12E OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm size and size size size size size size size size		
Paper not flexible, strong, white, and durable. Fig(s) Carsures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) SIZE of PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (BIZ X 11 inches) All drawing sheets not the same size. Sheet(s) Shade lines, pate, rough and blurred. Fig(s) Shade		
Fig(s) defined, clan, duratof, and black (poor line quality). Fig(s) Side black shading not permitted. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s)		
Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (not hin). Fig(s) Solid black shading not permitted. Fig(s) 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 29.7 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Figure legends are poor. Fig(s) MARGINS. 37 CFR 1.84(p): Acceptable margins: Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same size. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view +37 CFR 1.84(p)(2). Fig(s) Fig(s) Figure legends are poor. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view +37 CFR 1.84(p)(2). Fig(s) English alphabet on used. 37 CFR 1.84(p)(2). Numbers, letters and reference characters must be at least a same direction as the view +37 CFR 1.84(p)(2). Numbers, letters and reference characters must be at least a same direction as the view +37 CFR 1.84(p)(2). Numbers, letters and reference characters must be at least a same direction as the view +37 CFR 1.84(p)(2). Numbers, letters and reference characters must be at least a same direction as the view +37 CFR 1.84(p)(2). Numbers, letters and reference characters must be at least a same direction as the view +37 CFR 1.84(p)(2). Numbers, letters and reference characters not oriented in the same direction as the view +37 CFR 1.84(p)(3). Numbers, letters and reference characters not oriented in the same direction as the view +37 CFR 1.84(p)(3). Numbers, letters an		defined clean durable and black (poor line quality)
folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.0 cm by 29.7 cm (DIN size A4) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Margins for acceptable. Fig(s) Slade lines, pale, rough and blurred. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm SIZE: A Size Top 2.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm SIZE: A Size Top 2.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm SIZE: A Size Top 1.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 1.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; Left 1.5 cm		Gio(c)
Mylar, velum paper is not acceptable (too thin). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Shade lines, pale, rough and blurred. Fig(s) NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Fig(s) SIZE: A4 Size Fig(s) SIZE: A4 Size Fig(s) SIZE: A4 Size Fig(s) SIZE: A4 Size Fig(s) Fig(s) Top 2.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; A Fig(s) Fig(s) Top 2.5 cm; Left 2.5 cm; Right 1.5 cm; Bottom 1.0 cm; A Fig(s) Fig(s) Top (1) Left (Line) Fig(s) Top (1) Left (Line) Fig(s) Fig(s) Views not acceptable. Fig(s) Fig(s) Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading potematics.		
Solid black shading not permitted. Fig(s) 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (Bit size A4) 21.6 cm by 29.7 cm (Bit size A4) 21.6 cm by 29.7 cm (Bit size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Numbers and reference characters not plain and legible. Fig(s) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1).97TD. Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers (Letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2).97TD. Numbe		
SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Shet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm 1.64 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 cm 2/1 first 1/1		Solid black sheding not permitted. Fig(s)
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Numbers and reference characters not plain and legible. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1).97TD. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm; Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size Size		
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Fig(s) Top (T) Left (L) Le		
All drawing sheets not the same size. Shee(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Very 1993 of 1995 of 199		
Sheet(s)		
Drawings sheets not an acceptable size. Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1).p3TD Dr. 1.52 cm Right 1.5 cm Bottom 1.0 cm Fig(s) English alphabel not used. 37 CFR 1.84(p)(2) SIZE: A4 Size English alphabel not used. 37 CFR 1.84(p)(2) Numbers, letters and reference characters must be at least SIZE: 81/2 x 11 Latitude Latitude SIZE: 81/2 x 11 SIZE:		
MARGINS. 37 CFR 1.84(g): Acceptable margins: Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1).97110.7 To 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size English alphabet not used. 37 CFR 1.84(p)(2) English alphabet not used. 37 CFR 1.84		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 size English alphabet not used. 37 CFR 1.84(p)(2) Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom 1.0 cm English alphabet not used. 37 CFR 1.84(p)(2) Top 2.5 cm, Left 2.5 cm Right 1.5 cm Bottom 1.0 cmh (3/4) (1/		
Top 2.5 cm. Left 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. SIZE: A8 size English alphabet not used. 37 CFR 1.84(p)(2) Top 2.5 cm. Left 2.5 cm. Right 1.5 cm. Bottom 1.0 cm) (1.6	The series of the series of the descent of the law in the series of the	same direction as the view.437 CFR: 1.84(p)(1) person
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cmn 1.2 cm 1.9 cm 1.2 cm 1.1 cm 1.0 cmn 1.2 cm 1.1 cm 1.2 cm 1.1 cm 1.2 cm	Ton 2.5 cm Left 2.5 cm Right 1.5 cm Rottom 1.0 cm	Fie(s)
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cmn 1.2 cm 1.9 cm 1.2 cm 1.1 cm 1.0 cmn 1.2 cm 1.1 cm 1.2 cm 1.1 cm 1.2 cm		English alphabet not used, 37 CFR 1.84(p)(2)
Numbers, letters and reference characters must be at least Margins not acceptable. Fig(s)		
Top (T) Bottom (B) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Sectional designation to labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Top (T) Leaf (1994) 361 Severage 2.24 1198 [Fig(s)] Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast.	SIZE: 81/2 x 11-5	Numbers, letters and reference characters must be at leas
Top (T) Bottom (B) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Sectional designation to labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Top (T) Leaf (1994) 361 Severage 2.24 1198 [Fig(s)] Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast.	Margins not acceptable. Fig(s)	.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)
Right (R) Bottom (B) VIEWS. 37 CFR 1.84(n) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) SectriONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast.	Top (T) Left (L) AS ASTOUTING SALESONES	rection of informalities, unless the stand that the ports
VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not number 1. Fig(s) NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Vourse not number 1. Fig(s) NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not number 2. Fig(s) NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not number 2. Fig(s) V		13. LEAD LINES. 37 CFR 1.84(q)
REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not indicated for sectional portions of an object. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Fig(s) Sectional designation should be noted with Arabic or Fig(s) Sectional designation should be noted with Arabic or Fig(s) Sectional designation should be noted with Arabic or Fig(s) Solid black shading not used for color contrast.		Lead lines cross each other. Fig(s)
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS: 37 CFR 1.84(i) Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Corrections not number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS: 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Solid black shading not used for color contrast.		
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Fig(s) CORRECTIONS. 37 CFR 1.84(w) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s)		14. NUMBERING OF SHEETS OF DRAWINGS: 37 CFR 1.84(t)
Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 50id black shading not used for color contrast. Fig(s) 50id black shading not used for color contrast. Fig(s) 50id black shading not used for color contrast.		Sheets not numbered consecutively, and in Arabic numer
Fig(s)	Brackets needed to show figure as one entity.	beginning with number 1. Sheet(s)
Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Views not numbered consecutively, and in Arabic numerr beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s)		15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
Fig(s) beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.	Views not labeled separately or properly.	
Enlarged view not labeled separetely or property. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Setional designation of the noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s)		beginning with number 1. Fig(s)
Fig(s) Corrections not made from prior PTO-948 SECTIONAL VIEWS. 37 CFR 1.84 (h)(3)		
Hatching not indicated for sectional portions of an object. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast.		Corrections not made from prior PTO-948
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s)		dated
Fig(s) Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast.		17. DESIGN DRAWINGS. 37 CFR 1.152
Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s)		Surface shading shown not appropriate. Fig(s)
Roman numbers. Fig(s)		Solid black shading not used for color contrast.
		Fig(s)
OMMENTS		1
OMMENTS		
OMMENTS		
	OMMENTS	
		· · · · ·

REVIEWER

ATTACHMENT TO PAPER NO.

SAME AND A

(half an atomic co. i.

PO DEMON

ROTUS OF DEAFTSPERSONS OF DIAMORAL SOLUTION OF THE SOLUTION OF

1 Commettee of Information 27 CED 105	1.11
1. Correction of Informalities37 CFR 1.85	The drawif g(x) should (mean dates M M Zafe.
	E. El japonoved by the Draftspeed on eager 37 CFR 1,84 or 1,152.
The second secon	S. C. I. I approved by the Decker Supplemental CFR 1.84 of 1.150
File new drawings with the changes incorporated therein."	The application pumber or the title of the invention,
inventor's name, docket number (if any), and the name an	
mivemor's name, docker number (it any), and the name an	d telephone manuer of a person to can it the office
is unable to match the drawings to the proper application	on, should be placed on the back of each sheet of
drawings in accordance with 37 GFR 1.84(e). Applicant n	nay delay filing of the new drawings until receipt of
the Notice of Allowability (PTOL-37). Extensions of tim	
1.136. The drawing should be filed as a separate paper	with a transmittal letter addressed to the Drawing
Scote not large enough to show mechanism without	2. PRESCRIPTION OF CHEST 3+(b)
Processing Branch books at the sent not sold	of the first state of the second seco
and Noveme	Photographs and properly mounted (recal and brystol hand or
2 Timing for Corrections	tipolity after double weight super). Fig(s)
2. Timing for Corrections	or oot gaality (hall-early) Fig(s)
ACCOUNT OF THE PARTY OF THE PAR	S. TYPE OF PAPER, 37 CPR 1.54(c)
Applicant is required to submit acceptable corrected dra	
period set in the Notice of Allowability (PTOL 37). If a	correction is determined to be unacceptable by the
Office, applicant must arrange to have acceptable correct	ctions resubmitted within the original three-month
period to avoid the necessity of obtaining an extension	
applicant should file corrected drawings as soon a possibl	14 SEE OF PAPER STOFF LEGGE ACCEPTAGE STAGE
C NUMBERS LETTERS, & RESERVING COLLAR SCIERS	(\$61.45 MICE) 610 5.55 MICH 610 110 5.55 MICH 610 110 5.55 MICE 610 5.55
Failure to take corrective action within set (or extended	21.6 26 16 be 27.9 cm (8 2.0 x 12 inches)
Failure to take corrective action within set (or extended	period will result in ABANDONMENI of the
Application.	A Condition of the Cond
A TOTAL STATE OF THE STATE OF T	Drawingsetters got va a coppible size. Sig.
all the other in the report of the record the record of the record of the state of	So the APP Defin 197 (JFR 4,84(g)); APP (APP at the process)
3. Corrections other than Informalities Noted by the I	Drawing Review Branch on the Form PTO-948
2 (a) (a)	े अंश्वरीकाल व्यवक्रिक्त विश्वर विभाग सम्बन्धन । विकास
Bogher, spicifer on used. Colik Likitoph 3)	
All changes to the drawings, other than informalities noted b	by the Drawing Review Branch, MUST be approved
by the examiner before the application will be allowed. N	lo changes will be permitted to be made other than
correction of informalities, unless the examiner has appro	
13. CBAD LISES, 37: FR. Bug.	(छ), वरणभाष्ठ
their transcense each other. The property	. क. प्राह्मण्डः १७६४म असूत्रो ः
Lead since an early . Figure	of multiper crimpor (an inclinit rough institution)
14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1 F4(1)	ા દુવામાં આવેલા અને છે. જેવાના માના કરવાના કરવા
Theats not aughbeled consecutively, and in Arabic nornerals	Final Views 17 CFR (840)(2000)
beginning with number I. Shect(s)	भूतिमान जाता <u>२२ जन्म</u> । अनुमेन का <mark>प्रकार अवस्थान स्थानिक । व</mark>
(S. N) PRERING OF VIEWS → CIEW 1.84(ii)	
Lead over anyment than continuity and in Arroll at the late	· 有种种 化氯 电影中国的特别 人名格兰人
Just A radens a time grantery of	
IN HONRED TRONG LITTING LANGE	व्यक्ति स्व १० ५० व्यक्तिका विकासीको प्रथा केरान । १५५ विकास
11 Bed 14 long med about the arch rapid a	
the second secon	CARLE REFLECTIVE OF ME ST
IT I FRIGH DRAWINGS OF CERTIFIE	, includes an increasing functions soft best about one question for
the parameter of sample angered and the	
account outline with the first own of and but the	the contract of the contract o

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson. MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in ABANDONMENT of the application

06/01/01